



BRUNE DEHUMIDIFIERS


DEHUMIDIFYING PROTECTS VALUABLES:
PRESERVE VALUABLES



Protect and preserve valuables in garages, ...



...hobby workshops...



...in museums, archives, libraries,...

...and galleries.



CE

BEFORE IT IS TOO LATE...

BRUNE

Luftbefeuchtung Proklima GmbH

Create the ideal temperature measure, dehumidify, and

Why is dehumidifying beneficial?

Humidity and moisture damage goods, equipment and valuable, and even hinder production and communication. This results in unnecessary downtimes, repair, and energy cost.

Cost efficient dehumidifying such costs Can long-term be reduced considerably.


Dehumidifiers prevent the decay of construction substances resulting from moisture damages, and protect against as spores, mildew, and fungus. Humidifiers simply create a healthier room climate - a comfortable environment.

BRUNE dehumidifiers have been installed more and more in

- laboratories, examination- and test rooms
- telephone centers and
- data processing centers
- production facilities and storage rooms
- indoor swimming pools, spas, and large laundry facilities
- museums, archives, libraries, and bookstores
- basements, underground facilities, and vaults

Air optimally humidified at the right temperature prevents damages.

Whether it concerns your valuable furniture, Paintings, art objects, cigars or old timers – Our extensive program of air humidifiers and dehumidifiers, air purifiers, measuring and control units, provide optimal protection ...



for rooms up to 110 sq meters

DEHUMID 2

Easy to handle portable dehumidifier on wheels with integrated hygostat and optional direct hose connection for water drainage. No installation required – just connect to power outlet.

Technical information:

Dimensions (W x H x D).....	43.5 x 64 x 31 cm.....
Weight	27 kg
Power supply	230 V/50 Hz
Power input	620 Watt max.
Evaporation performance	max. 18 ltr./daily at 27° C and 65% r.h.
Air circulation	250 m³/h
Noise level	45 dbA
Application area	+ 5 to 38° C
Water storage	10 ltr.
Color	anthracite, steel casing



We gladly consult with you or send you more detailed information.



Luftbefeuchtung Proklima GmbH

« Often the loss is teaching us about the value of things. »
(A. Schopenhauer)



Please, just give us a call at **++49 (0) 6262-54 54**

and humidity conditions - regulate with BRUNE systems.



DEHUMID 9

for rooms up to 85 sq meters

Dehumidifier on wheels with corrosion-free plastic casing, automatic hygrostat and electronic defrosting system. Attractive design, ultra quiet, energy efficient. Suitable for laundry rooms, bathrooms and basements. Ideal for apartments and beach houses, no installation required.

Technical information:

Dimensions (W x H x D).....	35 x 70 x 32 cm.....
Weight.....	23 kg.....
Power supply.....	230 V/50 Hz.....
Power input.....	approx. 250 Watt.....
Evaporation performance.....	approx. 10.5 ltr./24 hrs. at 25° C and 80% r. h.....
Air circulation.....	260 m ³ /h.....
Noise level.....	41 dbA.....
Application area.....	+ 7 to 35° C.....
Water storage.....	5.5 ltr.....
Color.....	white.....



**with
heater!**



DEHUMID 9 H

for rooms up to 100 sq meters

Equipped with electronic defrosting and automatic hygrostat, separate switch and thermostat for heating. On wheels. Easy to handle, no installation required. Ready for use. Ideal for rooms that require additional heating. Modern, attractive design.

Technical information:

Dimensions (W x H x D).....	35 x 70 x 32 cm.....
Weight.....	24 kg.....
Power supply.....	230 V/50 Hz.....
Power input.....	approx. 250 Watt.....
With heater.....	approx. 1300 Watt.....
Evaporation performance.....	approx. 10.5 ltr./24 hrs. at 25° C and 80% r. h.....
Air circulation.....	300 m ³ /h.....
Noise level.....	41 dbA.....
Application area.....	+ 7 to 35° C.....
Water storage.....	5.5 ltr.....
Color.....	anthracite.....

in each living or work room!

« To know the road ahead,
ask those coming back. »
(Old Chinese proverb)



For rooms up to 60 sq meters

DEHUMID PUR

Dehumidifier with electronic display of relative humidity and desired programmed humidity level; calibration of humidity values in 5%-increments between 30% and 90%; control light and acoustic alarm when water container is full; air-cleaning filter; ultra quiet; electronic defrosting; with large handle for easy transportation. Optional direct hose connection for water drainage

Today, **humidity problems** in buildings occur more frequently than in the past. Due to improved insulation, poor ventilation systems, and the use of modern building materials e.g. glass and metal, excess moisture effects basements, bathrooms, winter gardens, and garages, and also living spaces. The consequences of uncontrolled humidity are mold stains, musty smells, fungus growth, and corrosion, that substantial damage your furnishings and collectibles like your old timer or your art objects.

Brune air dehumidifiers simply help you to systematically create optimal air quality in your living space, exhibit areas or storage room . . .

Operating panel:

- 1 Stand-by
- 2 Higher humidity
- 3 Lower humidity
- 4 Display of relative room humidity and room temperature
- 5 Display
- 6 Control light (limit of vapor water level in container)



Technical information:

Dimensions (W x H x D).....	38 x 60 x 31 cm.....
Weight	18 kg
Power supply	230 V/50 Hz
Power input	280 - 370 Watt
Air circulation	approx. 140 m ³ /h
Evaporation performance	max. 10 ltr./24 hrs.
.....	at 27° C and 65% r.h.
Noise level	38 dbA
Application area	+ 1 to 35° C
Water storage.....	6 ltr.
Color.....	white

More questions, we will gladly answer them. ++49 (0) 6262-54 54

Mobile & stationary measuring devices for temperature and humidity

Measuring devices – a must for ideal conditions

Thermo hygrographs for example, are being used for continuous recording of temperature and relative humidity.

Important application areas:

- industrial facilities
- printing and graphic business
- museums, laboratories, and university facilities
- monitoring of moisture in food and specialty food processing and storage



With the measuring device, climatic values (temperature and humidity) are transcribed via a lever and writing mechanism into a diagram. The timely sequences of the measuring values are stored and can be retraced any time from the displayed graphical curves.

Quartz-controlled, electronic drives record the values and transform them into on diagrams for an optional 1-day, 7-day or 31-day interval. Standard the devices are delivery without additional cost for a 7 to 30-day recording interval. Resetting is easily possible.

All devices are delivered complete with diagram paper, together with recording paper, printer unit, and battery, securely packaged for transportation.

Just ask for detailed information or our brochures.

Time is money. BRUNE - Dehumidifiers

"Time is Money" – that is not only true for professionals Dependable **appliances are essential for industrial work or for hobby workshops. Whether used for drying construction work, such as freshly plastered rooms, in storage rooms, or laundry facilities or even in indoor swimming pools – our *appliances are the right wherever you need dehumidifying.

High performance fully electronically controlled, energy efficient, and easy to handle – they are simply ideal for your needs.



For rooms up to 200 m² max.

DEHUMID 1



Dehumidifier suitable for large areas (commercial or industrial use) / air circulation principle, removable water container with overflow protection, optional direct hose connection for water drainage, automatic hot gas defrosting, on wheels for easy mobility, no installation required. Ready for direct use. Now available with operating-hours-counter module and 2-level fan, also available as console.

Technical information:

Dimensions (W x H x D)	76.5 x 72 x 46 cm
Weight	83 kg
Power supply	220 V/50 Hz
Power input	1200 Watt
Evaporation performance	max. 35 ltr./daily at 26° C and 60% r.h.
Compressor performance	0.75 hp
Air circulation	approx. 500 m ³ /h
Application area	0 - 40° C
Water storage	approx. 32 ltr.
Color	ebony



Luftbefeuchtung Proklima GmbH

Do you have questions? ++49 (0) 6262-54 54 We look forward to your inquiry.

Powerful and reliable:

Professional appliances also in your home



For rooms up to 250 sq meters

DEHUMID BT

Construction dryer / circulation principle, removable water container with overflow protection, optional direct hose connection for water drainage, automatic hot gas defrosting, on rolls. Without installation work, ready to use.

Technical information:

Dimensions (W x H x D).....	55.0 x 87.5 x 46.0 cm.....
Weight.....	46 kg.....
Power supply.....	220 V/50 Hz.....
Power input.....	approx. 1.000 Watt.....
Evaporation performance.....	max. 30 ltr./daily at 25° C and 60% r.h.
.....	max. 80 ltr./daily at 30° C and 80% r.h.
Air circulation.....	approx. 1000 m ³ /h.....
Application area.....	0 - to 35° C.....
Water storage.....	approx. 11 ltr.
Color.....	grey.....

Most sophisticated dehumidifying technology from one source:

WOULD YOU LIKE MORE INFORMATION?

Our extensive program of air quality systems not only includes air humidifiers and dehumidifiers, air purifying systems, mobile and stationary measuring devices, but also water preparation systems and construction dryers for commercial and industrial use.

Please ask us for our leasing service.

Luftbefeuchtung Proklima GmbH
Schwarzacher Str. 13
D-74858 Aglasterhausen

Telephone ++49 (0) 62 62 - 54 54
Telefax ++49 (0) 62 62 - 32 55

